## IN THE UNITED STATES PATENT AND TRADEMAKE OFFICE

Applicant:

Richard M. Laws, Gordon A. Veher, and Kuren L. Wion

Serial No.:

08/444.934

Group Art Unit: 1814

Filed:

May 22, 1995

Brantiner: Keith Handricks

For:

METHODS AND DECKYRIBONUCLEIC ACID FOR THE PREPARATION

OF TISSUE FACTOR PROTEIN

Assistant Commissioner for Petents Washington, D.C. 20231

Compidered

Couridered

15

LECLARATION UNDER 97 C.F.R. § 1.122

I. William Konigsburg, bureby declare that:

12299 1. I am Professor of Molecular Biophysics and Biochemistry in the Yale School of Medicine at Yale University, and hold a Ph.D. in Chamistry from Columbia University and a B.S. in Chemistry from Remarks: Polytechnic Institute. I have been a facility mamber at Yale University since 1964, and a full professor since 1968. I have over 35 years experience in the field of proteins, with an emphasis on blood proteins, and over 20 years experience in the study of tissue factor protein. This includes specific experience in closing, manipulation, and expression of recombinant DNA encoding proteins, and specifically in the cloning, manipulation, and expression of recombinua DNA encoding human tissue factor. A partial restitution vites is stacked to this declaration at an exhibit.

Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, whi

U.S.S.N. 02/444,934 Pilod: May 22, 1995

DECLARATION UNDER ST CRE | 1.15

I have expervised, trained, observed, and communicated with memorous individuals working in the fields of proteins and the closing and expression of games in general and times these in particular, including during the period 1985-1988. Reced in part on this experience, I am familiar with what those of skill in the arts of proteins, closing and expression, and tissue factor would understand when reading documents relating to proteins, closing and expression, and there factor. Such documents are not interpreted by those of skill in this field in a vacuum, rafter, such individuals being to their reading an understanding of how to interpret such documents based on what has gone before and the conventions of the field.

- I have reviewed the specification of the above-identified application, and the
  specification of Application Serial No. 07/013,743, filed February 12, 1987, to which the
  showe-identified application claims priority.
- 3. I have reviewed the Office Action mailed Issuery 17, 1996 in connection with the above-identified application.
- 4. I understand that claims 20-26 have been rejected under 35 U.S.C. § 112, first paragraph, as not being enabled by the specification. Specifically, I understand that the rejection is based on the contention that the description in the specification describing that the transmissibilities region of burners these factor can be deletied does not convey to those of skill in the set that such deletions can also include the deletion of the C-maximal amino solds (the "cytoplasmic" doesnin of thems flactor).

U.S.B.N. 09/444,534 Filed: May 22, 1985

DECLARATION UNDER 17 C.F.R. \$ 1.132

5. As an expert in the field of proteins in general and tissue factor in particular, and as an individual with extensive becowindge of the level of understanding of those of skill in the art of proteins, closing and expression, and tissue factor at the time Application Serial No. 07/013,743 was filed, I believe that those of skill in the arts of proteins, closing and expression, and there factor at that time would have understood the descriptions of deletion of the transmembrane region of tissue factor to include tissue factor proteins from which the entire C-terminal region, including the temperaturane and cytopiasmic regions, had been deleted. This is so because the deletion of the transmembrane region as described in the specification would have been viewed and understood as an indication that the extraordinar domain could be used separately from both the transmembrane region and the cytopishmic region. This can best be understood in terms of the overall structure of theme factor as described in the specification. At the time, it was understood that transmissiones proteins generally functioned in one of two ways. In the first, the make seriotry of the prouchs resides in the extracellular domain, with the transmissiones domain serving to mainly anchor the extracellular domain. In this scheme, the cytoplasmic domain is essentially irrelavant except for the fast two basic residues which serve to help anchor the hydrophobic sequences that space the membrane. In the second substite, the transmembrane region serves as combit for conducting signals between the extracellular domain and the cymplasmic domain. Receptor proteins are (and were) a well-known example of this type of transmembrane protein. When a ligand binds to the extracellular domain of a receptor protein, this binding is communicated to the sytoplesmic domain via the transmittibiane domain (thanky propagating an external

U.S.B.R. 02/444-934 First May 72, 1985 DECLARATION UNDER 37 C.F.R. § 1.132

signal to the inside of the cell). Prom this scheme, it is clear, and those of skill in the art at the time would have understood, that detection of the transmembrane region is equivalent to detection of both the transmembrane region and the cytoplasmic region, since the cytoplasmic demain serves no purpose in the absence of the transmembrane domain. For these reasons, it is my opinion that those of skill in the art at the time the application was filled would have considered the reference to deletion of the transmembrane region to indicate that the inventors contemplated deletion of the C-terminal portion of tissue factor, including the cytoplasmic domain.

6. I declare that all streaments made herein of my own knowledge and belief are true and that all streaments made on information and belief are believed to be true, and further, that the statements are made with the knowledge that willful false statements are punishable by fine or imprisonment, or both, under section 1001 of True 18 of the United States Code, and that such willful false statements may jacquardise the validity of the application or any parent issuing thereon.

Date: 7/16/86

William Konightung

Mark 181

14584.1

4

#### **CURRICULUM VITAE**

Rev. 6/3/96

#### William H. Konigsberg, Ph.D.

BORN:

April 5, 1930

#### EDUCATION:

Rensselser Polytechnic Institutes, N.Y.	B.Sc.	1952	Chemistry
Columbia University, N.Y.	Ph.D.	1956	Organic Chemistry

#### CAREER:

1956 - 57	N.S.F. Fellow, The Rockefeller Institute.
1957 - 59	Research Associate, The Rockefeller Institute.
1959 - 64	Assistant Professor, The Rockefeller Institute.
1964 - 76	Associate Professor of Biochemistry, Yale University.
1976 - 84	Professor of Molecular Biophysics and Biochemistry, Yale University.
1 <b>984 - 87</b>	Chairman, Department of Molecular Biophysics and Biochemistry,
	Yale University
1987 -	Professor of Molecular Biophysics and Biochemistry. Yale University.

#### PROFESSIONAL ACTIVITIES:

1968 - 72	Editorial Board: Archives of Biochemistry.
1969 - 73	Editorial Board: Biochem. Biophys. Acta.
1986 -	Editorial Board: Proteins: Structure, Function, and Genetics.

#### OTHERS:

1976 - 86.

#### American Chemical Society.

American Society of Biological Chemistry (Membership Committee), 1969 - 70.

National Institutes of Health, Biochemistry Study Section, 1970 - 74.

National Institutes of Health, Physiological Chemistry Study Section, 1970 - 74.

U.S. - Israel Binational Science Foundation, 1974 - 84.

Minority Biomedical Review Council, 1976 - 86.

Advisory Council: Minority Career Opportunity Section, National Institutes of Health,

### OTHERS cont:

Ad Hoc consultant:

National Science Foundation American Cancer Society Heart and Lung Institute

Chairman: Gordon Conference on Proteins, 1976 - 77.
National Science Foundation Study Section, 1980 - 84.
American Society of Microbiologists, 1984 - present.

#### William H. Konigsberg

- Stracher, A., Konigsberg, W. and Becker, R.R. Isolation of DNP-peptides from DNP-polyvalvyl-proteins. Biochem Biophys. Acra 20, 595 (1956).
- Craig, L.C., and Konigsberg, W. Further studies with bacitracin polypeptides. J. Organic Chem. 22, 1345 (1957).
- Craig, L.C., Konigsberg, W., and Hill, R.J. Bacitracin. Ciba Posadation Symposium on Amino Acids and Poptides with Antimetabolic Activity, 226 (1958).
- Craig, L.C., Konigaberg, W., Stracher, A., and King, T.P. The characterization of lower molecular weight proteins by dialysis, in IUPAC Symposium of Protein Structure, Paris, 1957, (Neuberger, A., ed.) John Wiley and Sons, Inc., pp. 104-115 (1958).
- Konigsberg, W., and Craig, L.C. Cellulose ion exchange and rotatory dispersion studies with the bacitracin polypeptides. J. Am. Chem. Soc. 81, 3452 (1959).
- Konigsberg, W. and Becker, R.R. The preparation of C<sup>14</sup>-polypeptidyl proteins. J. Am. Chem. Soc. 81, 1429 (1959).
- Craig, L.C., King, T.P., and Konigsberg, W. Homogeneity studies with insulin and related substances. Ann N.Y. Acad Sci. 88, 571 (1960).
- 8. Hill, R.J. and Konigsberg, W. The isolation of peptides from tryptic digests of the alpha chain from human hamoglobin. *Biol. Chem.* 235, 21 (1960).
- Konigsberg, W., Hill, R.J., and Craig, L.C. The oxidation and acid isomerization of bacitracin A. J. Organic Chem. 26, 3867 (1961).
- Hill, R.J. and Konigsberg, W. The partial structural formula of the sliphs chain of human hemoglobin. J. Biol. Chem. 236:7 (1961).
- Konigaberg, W. and Hill, R.J. The partial structural formula of the alpha chain of human hemoglobin. Paper read at the 5th International Congress of Biochemistry, Mossow, August, Pergamon Press Ltd. (1961).
- Konigsberg, W., Guidotti, G., and Hill, R.J. The amino solid sequence of the alpha chain of human hemoglobin. J. Biol. Chem. 236, 55 (1961).
- Goldstein, J., Guldotti, G., Konigsberg, W., and Hill, R.J. The amino sold sequence around the "reactive sulfhydryl" group of the beta chain from human hemoglobin. J. Biol. Chem. 236, 77 (1961).

- Craig, L.C. and Konigsberg, W. Dialysis Studies, III. Modification of pure size and shape in cellophane membranes. J. Phys. Chem. 65, 166 (1961).
- 15. Konigsborg, W. and Craig, L.C. On Bacitracin F. J. Organic Cham. 27, 934 (1962).
- Hill, R.J., Konigsburg, W., Guidotti, G., and Craig, L.C. The structure of human hemoglobin. I. The separation of the alpha and beta chains and their amino acid composition. J. Biol. Chem. 237, 1549 (1962).
- Guidotti, G., Hill, R.J., and Konigsberg, W. The structure of human hemoglobin. II. The separation and sunino acid composition of the tryptic peptides from the slipha and beta chains. J. Biol. Chem. 237, 2184 (1962).
- Konigsborg, W., and Hill, R.J. The structure of human hemoglobin. III. The sequence of amino acids in the tryptic peptides of the alpha chain. J. Biol. Chem. 237, 2547 (1962).
- Hill, R.J. and Konigsberg, W. The structure of human hemoglobin IV. The chymotryptic digestion of the alpha chain of human hemoglobin. J. Biol. Chem. 237, 2184 (1962).
- Konigsberg, W. and Hill, R.J. The structure of human hamoglobin. V. The digestion of the alpha chain of human hemoglobin with popsin. J. Biol. Chem. 237, 2547 (1962).
- Goldstein, J., Konigsberg, W., and Hill, R.J. The structure of human hamoglobin VI. The sequence of amino acids in the tryptic peptides of the betz chain. J. Biol. Cham. 238, 2016 (1963).
- Konigsberg, W., Goldstein, J., and Hill, R.J. The structure of human hemoglobin VII. The digestion of the beta chain of human hemoglobin with pepsin. J. Biol. Chem. 238, 2028 (1963).
- 23. Guidotti, G., Konigsberg, W., and Craig, L.C. On the dissociation of normal adult human hemoglobin. Proc. Natl. Acad. Sci. USA 50, 774 (1963).
- Hill, R.J., Konigsberg, W., Guidotti, G., and Craig, L.C. "The preparation of the alpha and beta chains of human hemoglobin." in Biochemical Preparations Vol. 10 (Brown, G.B., ed.) John Wiley and Sons, Inc., New York (1963) pp. 55-66.
- Guidotti, G. and Konigsberg, W. The Characterization of modified human hemoglobin. I. Reaction with indeacetamide and N-ethylmalcimide. J. Biol. Chem. 239, 1474 (1964).
- Notani, G.W., Konigsberg, W., Craig, L.C., and Zinder, N.D. Structural studies on the cost protein of coliphate f<sub>2</sub>. Sixth International Congress of Biochemistry, New York City, 1964.

- 27. Smyth, D.G., Blumenfeld, O.O. and Konigsberg, W. Reactions of N-ethylmaledmide with peptides and amino acids. *Biochem. J.* 91, 589 (1964).
- Rifkin, D., Rifkin, M., and Kenigsberg, W. Amino acid compositions of tryptic peptides of two strains of mouse hemoglobin. Fed. Proc. 24, 532 (1965).
- Rifkin, D. and Konigaberg, W. The characterization of the tryptic peptides from the hemoglobin of the chimpanzee (Pan Troglodytes). Biochim. Biophys. Acta 104, 457 (1965).
- Konigsberg, W. and Lehmann, H. The amino acid substitution in hemoglobin Mayzate. Biochim. Biophys. Acia 107, 266 (1965).
- Notani, G.W., Engelhart, D.L., Konigsberg, W., and Zinder, M. The suppression of a cost protein mutant of the bacteriophage F<sub>2</sub>. J. Mol. Biol. 12, 439 (1965).
- Konigsberg, W., Huntsman, R.G., Wadia, F., and Lehmann, H. Haemoglobin
   Description in an East Anglican family. J. Royal Anthropological Inst. 95, 295 (1965).
- Rifkin, D.B., Rifkin, M.R., and Konigaberg, W. The prescure of two major hemoglobin components in an inbred strain of mice. Proc. Natl. Acad. Sci. USA 55, 586 (1966).
- Konigsberg, W., Weber, K., Notani, G. and Zinder, N. The isolation and characterization of the tryptic peptides from the F<sub>2</sub> bacteriophage cost protein. J. Biol. Chem. 241, 2579 (1966).
- Rifkin, D.B., Hirsh, D.I., Rifkin, M.R., and Konigsberg, W. Possible embiguity in the coding of mouse hemoglobin. Cold Spring Symposium on Quantitative Biology, Vol. XXXI, 715 (1966).
- Simon, S.R., and Konigsberg, W. Chemical modification of hemoglobins: A study of conformation restraint by internal bridging. Proc. Natl. Acad. Sci. USA 56, 749 (1966).
- Konigsberg, W. The arrangement of the tryptic peptides in the cost protein of the f<sub>2</sub> bacteriophage. J. Biol. Chem. 241, 4534 (1966).
- 38. Weber, K., Notani, G., Wikler, M., and Konigsberg, W. Amino acid sequence of the f<sub>2</sub> cost protein. J. Mol. Biol. 20, 423 (1966).
- Rifkin, D.B., Rifkin, M., and Konigaberg, W. The isolation and ammo acid composition of the
  tryptic peptides from the beta chain of C57BL/6 mouse hemoglobin. Arch. Biochem. Biophys.
  116, 284 (1966).
- Simon, S.R., Konigsberg, W., Bolton, W., and Perutz, M.F. Identity of structure of horse decayand oxyhaemoglobin after reaction with Bis (N-maleidomethyl) ethat. J. Mol. Biol. 28, 451 (1967).

41. Weber, K. and Konigsberg, W. Amino acid sequence of the F<sub>2</sub> cost protein. J. Biol. Chem. 242, 3563 (1967),

ΙŲ

- Webster, R.E., Engelbardt, D.L., Zinder, N.D., and Konigsberg. W. Amber mutants and chain termination in vitro. J. Mol. Biol. 29, 27 (1967).
- 43. Konignberg, W. Subtractive Edman degradation in Methods in Ensymplogy, XI, 461, (1967).
- Neer, E.J., Konigsberg, W., and Guldotti, G. The interactions between alpha and beta chains of human hemoglobin. J. Biol. Chem. 243, 1971 (1968).
- Neer, E.J. and Konigsberg, W. The characterization of modified human hemoglobin. II. Reaction with 1-Fluoro-2, 4-Dimitrobenzene. J. Biol. Chem. 243, 1966 (1968).
- Waxdal, M.I., Konigsberg, W., and Edelman, G.M. The structure of a human gamma Gimmunoglobulin. Cold Spring Harbar Symposia on Quantitative Biology, XXXII, 53-63 (1967).
- Edelman, G.M., Gall, W.E., Wandal, M.J., and Konigsberg, W.H. The covalent structure of a
  human G-immunoglobulin. I. Isolation and characterization of the whole molecule, the
  polypoptide chains, and the tryptic fragments. Biochemistry 7, 1950 (1968).
- Wazdal, M.J., Konigsberg, W., Henley, W.L., and Edelman, G.M. Covalent structure of a Gimmunoglobulin. II. Isolation and characterization of the cyanogen bromide fragments. Biochemistry 7, 1959-1966 (1968).
- Wazzial, M.J., Konigsberg, W., and Edelman, G.M. The covalent structure of a human G-Immunoglobulin. III. Arrangement of the cyanogen bromide fragments. *Biochemistry* 7, 1967 (1968).
- Gall, W.B., Cunningham, B.A., Waxdal, M.J., Konigsberg, W.H., and Edelman, G.M. The covalent structure of a human G-Immunoglobulin. IV. The interchain disulfide bonds. Biochemistry 7, 1973 (1968).
- Cunningham, B.A., Gottleib, P.D., Konigsberg, W., and Edelman, G.M. The covalent structure of a human G-Immunoglobulin V. Partial andno acid sequence of the light chain. *Biochemistry* 7, 1983 (1968).
- Gottlieb, P.D., Cummyham, B.A., Waxdal, M.J., Konigsberg, W., and Edelman, G.M. Variable regions of heavy and light polypeptide chains of the same G-Immunoglobulin molecule. Proc. Natl. Acad. Sci. USA 61, 168 (1968).
- Sundaradas, G., Katze, J.R., Soll, D., Konigsberg, W., and Lengyel, P. On the recognition of serine transfer RNAs specific for unrelated codons by the same scryl-transfer RNA synthetase. Proc. Natl. Acad. Sci. USA 61, 693 (1968).

- Rutishauser, U., Cunningham, B., Bennett, C., Konigsberg, W., and Edelman, G.M. Amino acid sequence of the Fc portion of a human G myeloma protein. Proc. Natl. Acad. Sci. USA 61, 1414 (1968).
- Katze, J. and Konigaberg, W. Appendix: Position of the amber mutation in the MU9 cost protein. J. Molec. Biol. 42, 97 (1969).
- Konigiberg, W. Molecular Diseases in Duncan Diseases of Metabolism, 6th Edition, Chapter 4.
   W.A. Saunders Co., pp. 46-87 (1969).
- 57. Hoffman, E.P., Wilhelm, R.C., Konigsberg, W., and Katze, J.R. A structural gene for scryltRNA synthetase in E. coli K 12. J. Molec. Biol. 47, 619 (1970).
- Konigaberg, W., Maita, T., Katze, J., and Weber, K. Amino-acid sequence of the Q beta protein. Nature 227, 271 (1970).
- Katze, J.R. and Konigsberg, W. Purification and properties of scryl transfer ribonucleic acid synthetese from E. coli. J. Biol. Chem. 245, 923 (1970).
- Pitcher, S.E. and Konigsberg, W. The sequence of the NH<sub>2</sub>-terminal symmogen bromide fragment from the heavy chain of a GL myeloma protein. J. Biol. Chem. 245, 1267 (1970).
- Knowles, J.R., Katze, J.R., Konigsberg, W., and Söll, D., The interaction of seryl and of leucyl transfer ribonucleic acid synthetase with their cognate transfer ribonucleic acids. J. Biol. Chem. 245, 1407 (1970).
- Runishauser, U., Cunningham, B.A., Bennet, C., Konigsberg, W., and Edelman, G.M. The covalent structure of a human G-Immunoglobulin. VIII. Amino acid sequence of heavy-chain cyanogen bromide fragments H<sub>5</sub>-H<sub>7</sub>. Biochemistry 9, 3171 (1970).
- Bennett, C., Konigsberg, W., and Edelman, G.M. The covalent structure of the human Gimmunoglobulin. IX. Assignment of asparaginyl and glutaminyl recidues. *Biochemistry* 9, 3181 (1970).
- Arndt, D.J. and Konigsberg, W. The reaction of N--(Bromosoctoxymethyl) maleimide with homoglobin. J. Biol. Chem. 246, 2594 (1971).
- Arndt, D.J., Simon, S.R., Maita, T., and Konigsberg, W. The characterization of chemically modified hemoglobins. III. Reaction with various N-substituted maleimides. J. Biol. Chem. 246, 2602-2608 (1971).

- Simon, S.R., Arndt, D.J., and Konigsberg, W. Structure and functional properties of chemically modified horse hemoglobin. I. Determination of the functional properties. J. Mol. Biol. 58, 69 (1971).
- Konigaberg, W., Simon, S., Arndt, D.J., and Moffat, K. Inhibition of the ligand linked conformational changes in hemoglobin. Proc. 1st Inter-American Symp. Hemoglobins, 123 (1971).
- 68. Moffat, J.K., Simon, S.R., and Konigsberg, W. Structure and functional properties of chemically modified horse hamoglobin. III. Functional consequences of structural alterations and their implications for the molecular bases of co-operativity. J. Mol. Biol. 58, 89 (1971).
- Malta, T. and Konigsberg, W. The amino acid sequence of the Obeta cost protein. J. Biol. Chem. 246, 5003 (1971).
- Roy, D., and Konigsberg, W. Chromstography of proteins and peptides on diethylaminoethyl cellulose in Methods in Ensymplogy, Vol. XXV, 221 (1972).
- Konigsberg, W. Subtractive Edman degradation in Methods in Enzymology, Vol. XXV, 326 (1972).
- Konigsberg, W. Reduction of disulfide bridges in protein with diffiiothreitol in Methods in Enzymology, Vol. XXV, 185 (1972).
- Roy, D., Graziadei III, W.D., Lengyel, P. and Konigaberg, W. Amino terminal sequences of several recvirus type 3 capsid proteins are identical. *Biochem. and Biophys. Res. Comm.* 46, 1066 (1972).
- Rosenstein, R.W., Musson, R.A., Armstrong, M.Y.K., Konigsberg, W., and Richards,
   F.F. Contact regions for Dinitrophenyl and menadione in an immunoglobulin binding more than one antigen. Proc. Natl. Acad. Sci. USA 69, 4877 (1972).
- 75. Yoshioka, M., Lifter, J., Hew. C.-L. Converse, C.A., Armstrong, M.Y.K., Konigsberg, W., and Richards, F.F. Studies on the combining regions of protein 460, a mouse A immunoglobulin which binds several haptens. Binding and reactivity of two types of photoaffinity labeling reagents. Biochemistry 12, 4679 (1973).
- Richards, F.P. and Konigsburg, W. How specific are antibodies? Immunochem. 10, 545 (1973).
- Waterson, R.J., Clarke, S.F., Kalonsak, P., and Konigsberg, W. Seryl transfer ribonucleic scid syntheses from E. coli. J. Biol. Chem. 248, 4181 (1973).

- Clarke, S.J., Low, B., and Konigsberg, W. Close linkage of the game serC (for phosphohydroxy pyruvate transaminase) and serS (for scryl-tRNA symbetase) in E. coli K-12. J. Bacteriol. 113, 1091 (1973).
- Clarke, S.J., Low, B., and Konigsberg, W. Isolation and characterization of a regulatory mutant of an aminoacyl-tRNA synthetese in E. coli K-12. J. Bacteriol. 113, 1096 (1973).
- Graziadel III, W.D., Roy, D., Ronigsberg, W., and Lengyel, P. Translation of recovers messenger ribonucleic solds synthesized in vitro into recovers proteins in a mouse L cell extract. Arch. Biochem. & Biophys. 158, 266 (1973).
- Hew, C.-L., Lifter, J., Yoshioka, M., Richards, F.F. and Konigsberg, W. Affinity-labeled peptide obtained from the combining region of protein 460. Light chain labeling patterns using dintrophenyl based photoaffinity labels. Biochemistry 12, 4685 (1973).
- Varga, J.M., Konigsberg, W., and Richards, F.F. Antibodies with multiple binding functions. Induction of single immunoglobin species by structurally dissimilar haptens. Proc. Natl. Acad. Sci. USA 70, 3269 (1973).
- Waterson, R.M. and Konigsberg, W. Peptide mapping of aminoacyl-tRNA synthetases: Evidence for internal sequence homology in E. coli leusyl tRNA synthetase. Proc. Natl. Acad. Sci. USA 71, 376 (1974).
- Kalousek, P. and Konigsberg, W. Purification and characterization of histidyl transfer ribonucleic acid synthetase of E. coli. Biochemistry 13, 999 (1974).
- Nakashima, Y., Dunker, A.K., Marvin, D.A., and Konigsberg, W. The amino acid sequence of the DNA binding protein, the gene 5 product of fil filamentous bacteriophage. FEBS Letters 40, 2 (1974).
- Barstad, P., Rudikoff, S., Potter, M., Colm, M., Kunigsberg, W., and Hood, L. Immunoglobulin structure: Amino terminal sequences of mouse myeloma proteins that bind phosphorylcholine. Science 183, 962 (1974).
- Lifter, J., Hew, C.-L., Yoshicka, M., Richards, F.F., and Konigsberg, W. Affinity-labeled
  peptides obtained from the combining regions of myeloma protein 460. 1. Heavy-chain-labeling
  patterns using dinitrophenyl azide photoaffinity label. *Biochemistry* 13, 3567 (1974).
- 88. Richards, F.F., Lifter, J., Hew, C.-L., Yoshioka, M. and Konigsberg, W. Photosffinity labeling of the combining region of myeloms protein 460. II. An interpretation of the labeling patterns. Biochemistry 13, 3572 (1974).
- Konigsberg, W. Molecular diseases in Structural Organization of Proteins. Duncan 4, 59-104 (1974).

- Richards, F.F., Amzel, L.M., Konigsberg, W., Manjula, B.N., Poljak, R.J., Rosenstein, R.W., Saul, F., and Varga, J.M. Polyfunctional antibody combining regions in The Immune System Genes, Receptors, Signals. Academic Press, Inc. 53 (1974).
- 91. Weber, L. and Konigsberg, W. The proteins of the RNA phages in RNA Phages (Zinder, N.D., ed.) p. 51 (1975).
- Richards, F.F., Konigsberg, W., Rosenstein, R.W., and Varga, J.M. On the specificity of antibodies. Biochemical and biophysical evidence indicates the existence of polyfunctional antibody combining regions. Science 187, 130 (1975).
- 93. Anderson, E., Nakashima, Y., and Konigsberg, W. Photo-induced cross-linkage of gens 5 protein and bacteriophage fd DNA. Nucleic Acids Res. 2, 361-371 (1975).
- Jesty, J., Spencer, A.K., Nakashima, Y., Nemerson, Y., and Konigsberg, W. The activation of congulation Factor X. Identity of cleavage sites in the alternative activation pathways and characterization of the COOH-terminal peptide. Biol. Chem. 150, 4497-4504 (1975).
- Nakashima, Y., Wiseman, R.L., Konigsberg, W., and Marvin, D.A. Primary structure and sidechain interactions of PFL filamentous bacterial virus cost protein. Nature 253, 68-71 (1975).
- Kalousek, F., Konigsberg, W., and Nemerson, Y. Activation of Factor IX by activated Factor
  X: A link between the extrinsic and intrinsic coagulation systems. FEBS Letture 50, 382-385
  (1975).
- Kalousak, F. and Konigsberg, W. Aminoacyl-tRNA synthetases in MTP International Review of Science (Amstein, H.R.V., and Butterworths, U., eds.) Park Press, 7:57-83 (1975).
- Richards, F.F., Rosenstein, R.W., Varga, J.M., and Konigsberg, W. Antibody specificity in Immunological Disease, 3rd Edition (Tahmage, D.W., ed.) Vol. I:121-138 (1978).
- Richards, F.P., Rosenstein, R.W., Varga, J.M. and Konigsberg, W. Antibody Combining Regions in Comprehensive Immunology, 1st Edition (Litman, G., and Good, R.A., eds.) Plenum Medical Book Co., New York, Vol. V, 117-154 (1978).
- 100. Richards, F.F. Varga, J.M., Rosenstein, R.W. and Konigsberg, W., The Antigent Combining Region of Immunoglobulins in Immunochemistry (Steward, M.W., and Glynn, L.W., eds.) John Wiley and Sons, Ltd., Chapter 2, 59-84 (1978).
- Richards, F.F. and Konigsberg, W. Photo-Reactive Affinity Labels. Experience with Dnp-based diszokstones and azides in labeling the combining region of the mouse myeloma IgA Protein 460 in Methods in Enzymology (Jakoby-Wilchek, ed.) Acad. Press 46, 508 (1977).

- Kalousek, F. and Konigsberg, W. Internal sequence homology in E. coli isoleucyl- and valyltRNA synthetuses. PEBS Letters 61, 151 (1976).
- Nakashima, Y., Napiorkowski, P., Schafer, D.E. and Konigsberg, W. Primary structure of the B subunit of cholera enterotoxin. FEBS Letters 68, 275 (1976).
- Goldsmith, M.E. and Kunigsberg, W. Adsorption protein of the bacteriophage fd: Isolation, molecular properties, and location in the virus. *Biochemistry* 16, 2686-2694 (1977).
- 105. Poljak, R.J., Nakashima, Y., Chen, B.L., and Konigsberg, W. Amino acid sequence of the V<sub>H</sub> region of a human myeloma immunoglobulin (IgG New), Biochemistry 16, 3412 (1977).
- 106. Gigot, D., Glansdorff, N., Legrain, C., Piarard, A., Stanlon, V., Konigsberg, W., Caplier, I., Strosberg, A.D., and Herve', G. Comparison of the N-terminal sequences of asparane and ornithine carbanovitransferases of E. coll. FEBS Letters 8, 28-32 (1977).
- Williams, K.R. and Konigsberg, W. Structural Changes in the T4 gene 32 protein induced by DNA and polymoleotides. J. Biol. Cham. 253, 2463 (1978).
- 108. Paradiso, P., Nakashima, Y., and Konigsberg, W. Photo-induced crosslinking of gane 5 protein to DNA in Biomolecular Structure and Function, (Agris, P.F., ed.) Academic Press, New York, 581 (1978).
- 109. Sillerud, L.O., Prestegard, J.H., Yu, R.K., Schafer, D.E., and Konigsberg. W. Assignment of the <sup>13</sup>C nuclear magnetic resonance spectrum of aqueous ganglioside G<sub>M</sub> micelles. *Biochem.* 17, 2619 (1977).
- Konigsberg, W.H., and Steinman, H.M. Strategy and methods of sequence analysis in The Proteins, 3rd Edition, Vol. 3, 2-179 (1977).
- 111. Frangione, B., Nakashima, Y., Konigsberg, W., and Wiseman, R.L. The amino acid sequence of the major cost protein subunit of the filamentous virus Xf. FEBS Letters 95, 381-384 (1978).
- Armstrong, M.Y.K., Ebenstein, P., Konigsberg, W., and Richards, F.F. Endogenous RNA tumor viruses are activated during chemical induction of murine plasmacytomas. *Proc. Natl. Acad. Sci. USA* 73, 4549-4552 (1978).
- 113. Rosenstein, R.W., Zeldis, J.B., Konigaberg, W., and Richards, F.F. The location and expression of idiotypic determinants in the immunoglobulin variable region. (I. Characterization of antibodies directed against the variable region of mouse mycloma immunoglobulins 315 and 460). Molec. Immunol. 16, 361-370 (1979).

דו און כשכנשו זכ די דו

- 115. Zeldis, J.B., Riblett, R., Weigert, M., Konigsberg, W., Richards, F.F., and Rosenstein, R.W. The location and expression of idiotypic determinants in the immunoglobulin variable region (III. Expression of the protein 315 and 460 idiotypic determinants in mouse anti-Dnp antibodies). Molec. Immunol. 16, 657 (1979).
- 116. Paradiso, F.R., Nakashima, Y., and Konigaberg, W. Photochemical crosslinking of protein-mucleic acid complexes: The attachment of the fid gene 5 protein to fid DNA. J. Biol. Chem. 254, 4739 (1979).
- 117. Konigsberg, W. Protein structure and molecular dysfunction: Hemoglobin in Metabolic Control In Disease, 8th edition, (Bondy, P., and Rosenberg, L., eds.) Chapter 2, pp. 27-71 (1979).
- Henderson, L.E., Oroszlan, S., Konigsberg, W. A micromethod for complete removal of dodecyl sulface form proteins by ion-pair extraction. *Anal. Biochem.* 93, 153 (1979).
- Williams, K.R., Sillerud, L.O., Schafer, D.E., and Konigsberg, W.H. DNA hinding properties of the T4 DNA helix-destabilizing protein: A calorimetric study. J. Biol. Chem. 254, 6426-6432 (1979).
- Spicer, E.K., Williams, K.R., and Konigsberg, W. T4 gene 32 protein trypein-generated fragments: Fluorescence measurement of DNA-binding parameters. J. Biol. Chem. 254, 6433-6436 (1979).
- Sillerud, L.O., Schafer, D.E., Yu, R.K., and Konigsberg, W. Calorimetric properties of the bilsyer-micelle transition in mixtures of ganglioside G<sub>MI</sub> and Dipalmitoylphosphatidylcholine. J. Biol. Chem. 254, 10876-10880 (1979).
- Kempe, T.D., Besttie, W.G., Weisman, S., and Komigaberg, W. Correlation of the protein and nucleic soid sequences for the major structural protein of simian virus 40. J. Biol. Chem. 254, 7561-7569 (1979).
- Cahrer, B., Hidharu, T., Brocze, R.J., Kempe, T.D., Williams, K., Slattery, E., Kenigsberg, W., and Lengyel, P. Structural characteristics of interferons from mouse Ehrlich ascines tumor cells. J. Biol. Chem. 254, 3681-3684 (1979).
- 124. Wilson, G.G., Karen, K.Y.Y., Gordon, J.E., and Konigsberg, W. High frequency generalized transduction by bacteriophage T4. *Nature* 280, 80-82 (1979).
- 125. Wilson, G.G., Neve, R.L.; Edlin, G.J., and Konigsberg, W. The BAM H1 restriction site is located in or near gene 8. Genetics 93, 285-296 (1979).

- 126. Nakashima, Y. and Konigsberg, W. Chemical modification and molecular orientation of the B protein in the filamentous bacterial virus Pfl. J. Mol. Biol. 138, 493 (1980).
- Carson, S.D. and Konigsberg, W. Cadmlum Insteases tissue factor (Congulation Factor III) activity by facilitating its reassociation with lipids. Science 208, 307-309 (1980).
- 128. Sancar, A., Stachelek, C., Konigsberg, W., and Rupp, W.D. Sequences of the recA gene and protein. Proc. Natl. Acad. Sci. USA 77, 2611-2615 (1980).
- 129. Williams, K.R., LoPresti, M.B., Setoguchi, M., and Konigsherg, W. Amino acid sequence of the T4 DNA helix-destabilizing protein (DNA hinding protein/gene 32 protein/partial proteolysis/protein sequencing). Proc. Natl. Acad. Sci. USA 77, 4614 (1980).
- Carson, S.D. and Konigsberg, W. Lipid activation of congulation factor III apoprotein (Tissue Factor) - Reconstitution of the protein-membrane complex. Thrombosis and Haemostusis 44, 12-15 (1980).
- 131. Hill, R.J. and Konigsberg, W. Mutation in the structural gene for scryltransfer ribonnecieic acid synthetuse of E. coli which affects formation of its gene product at high temperature. J. Bacteriology 141, 1163-1169 (1980).
- Lin, T.C., Webster, R.E., and Konigsberg, W. Isolation characterization of the C and D proteins coded by Gene II and Gene VI in the filamentous bacteriophage fl and fd. J. Biol. Cham. 255, 10331-10337 (1980).
- 133. Rosen, N.L., Onodera, M., Hotez, P.I., Bogucki, M.S., Ekce, B., Patton, C., Konigsberg, W., Cross, G.A.M., and Richards, F.F. Surface glycoproteins of two early blood stream variants of Trypanosoma congolese. (I. Production of a relapsing infection in rodents). J. Exp. Parasttology 52, 210 (1981).
- 134. Onodera, M., Rosen, N.L., Lifter, J., Hotez, P.F., Bogucki, M.S., Davis, G., Patton, C.L., Konigsberg, W., and Richards, F.F. Surface glycoproteins of two early blood stream variants of Trypanosoma congoless. (II. Purification and partial chemical characterization of two sequential surface variant specific glycoproteins.) J. Exp. Parasitology 53, 1 (1981).
- 135. Spicer, B.K., Kavanaugh, W.M., Dallas, W.S., Falkow, S., Konigsberg, W., and Schafer, D.B. Sequence homologies between subunits of E. cali and V. cholerae enterotoxins. Proc. Natl. Acad. Sci. USA 78, 50-54 (1981).
- 136. Grant, R., Lin, T.C., Konigsberg, W. and Webster, R. Structure of the filamentous bacteriophage fit Location of the A. C. and D minor cost proteins. J. Biol. Chem. 256, 539 (1981).

- Richards, F.F., Rosen, N.L., Onodera, M., Bogucki, M.S., Neve, R.L., Hotez, P., Armstrong, M.Y.K., and Konigsberg, W. Antigenic variation and the surface glycoproteins of *Trypanosoma* congolese. Fed. Proc. 40, 1434-1439 (1981).
- 138. Grant, R.A., Lin, T.C., Webster, R.E., and Konigsberg, W. Structure of the filamentous bacteriophage: Isolation, characterization, and location of the minor cost proteins and orientation of the DNA in Bacteriophage Assembly, Alan R. Liss, N.Y., pp. 413-428 (1981).
- Williams, R.R., and Konigsberg, W. DNA binding proteins in Gene Amplication and Analysis of Nucleic Acid Structures, Vol. II, (Chirikian, J.G. and Papes, F.S., eds.) Elsevier, pp. 475-536 (1981).
- Nakashima, Y., Frangione, B., Wiseman, R.L., and Konigsberg, W. Primary structure of the major coat protein of the filamentous bacterial viruses, Ifi and Ide. J. Biol. Chem. 256, 5792-5797 (1981).
- Konigsberg, W., and Richards, F.F. Immunochemistry, McGraw-Hill Encyclopedia. pg. 42, (1981).
- 142. Bach, R., Nemerson, Y., and Konigaberg, W. Purification and characterization of bovine tissue factor. J. Biol. Chem. 256, 8324-8331 (1981).
- 143. Carson, S.D. and Konigsberg, W. Coagulation factor III (tissue factor) interaction with phospholipid vesicles induced by cadmium; characterization of the reconstituted proteinmembrane complex. Bioscience Reports 1, 197-205 (1981).
- Carson, S.D., and Konigaberg, W. Phenyl-sepharose chromatography of membrane proteins solubilized in Triton X-100. Anal. Biochem. 166, 398 (1981).
- 145. Bogucki, M.S., Onodera, M., Rosen, N.L., Lifter, J. Hotez, P., Konigsberg, W., and Richards, F.F. Surface glycoproteins of two early blood stream variants of *Trypanosoma congolese*. III. Immunological studies on two sequential surface variant specific glycoproteins. J. Exp. Parasitology 52, 427 (1982).
- 146. Paradiso, P.R., and Konigsberg, W. Photochemical crosslinking of the gene 5 protein fd DNA complex from fd infected cells. J. Btol. Chem. 257, 1462 (1982).
- Spicer, B.K., Noble, J., Nossal, N., Konigsberg, W., and Williams, K. Bacteriophage T4 gene 45:
   Sequences of the structural gene and its protein product. J. Biol. Chem. 257, 8972-8979 (1982).
- 148. Williams, K.R., L'Italian, J., Guggenheimer, R., Sillerud, L., Spicer, E., Chase, J., and Konigsberg, W. Comparative peptide mapping by HPLC: Identification of single amino acid substitutions in temperature sensitive mutants <u>in Methods in Protein Sequence Analysis</u> (Elzinga, M., ed.) Humana Press, pp. 499-597 (1982).

- 149. Konigsberg, W., and Gudson, G.N. Evidence for use of rare codons in the dnaG gene and other regulatory genes of E. coll. Proc. Natl. Acad. Sci. USA 80, 687 (1983).
- 150. Konigsberg, W., Henderson, L. Amino acid sequence of the catalytic subunit of aspartyl transcarbamoylase from E. colt. Proc. Natl. Acad. Sci. USA 80, 2467 (1983).
- Spicer, E.K. and Konigsberg, W. Organization and structure of four T4 genes coding for DNA replication proteins in Bacteriophage T4 Monograph (Eds.: C.K. Mathews, E.M. Kutter, G. Mosig and P.B. Berget) American Society for Misrobiology, pp. 291-301 (1983).
- 152. Williams, K.R. and Konigsberg, W. Structure-function relationships in the T4 single-stranded DNA binding protein in Bacteriophage T4 Managraph (Mathews, C.K., Kutter, B.M., Mosig, G., and Berget, P.B., eds.) American Society for Microbiology, 82-89 (1983).
- 153. Marritt, S.C., Tschudi, C., Konigsberg, W., and Richards, F.F. Reverse transcription of trypanosome variable antigen mRNAs initiated by a specific oligonucleotide primer. Proc. Natl. Acad. Sci. USA 80, 1536 (1983).
- 154. Carson, S.D., Carson, S.M., and Konigsberg, W.H. Monoclonal antibody recognizing rabbit IgG (Fab): A specific reagent for second-antibody applications. *J. Biol. Chem.* **258**, 9510 (1983).
- Stechelek, C., Stechelek, J., and Konigsberg, W.H. Primary structure analysis of the mutant rock.
   441 and recA 430 proteins. J. Biol. Chem. 258, 7918-7920 (1983).
- 156. Horwich, A.L., Kraus, J.P., Williams, K., Kalousek, F., Konlgsberg, W., and Rosenberg, L.B. Molecular cloning of the cDNA coding for rat ornithing transcerbamylase.
  Proc. Natl. Acad. Sci. USA 80, 4258 (1983).
- Konigsberg, W.H., and Henderson, L. Removal of sodium dedecyl sulfate from proteins by Ionpair extraction. Methods in Ensymplogy 91, 254-259 (1983).
- 158. Prigodich, R.V., Casas-Finet, J., Williams, K.R., Konigsberg, W., and Colsman J.E. <sup>1</sup>H-NMR (500 MHz) of gene 32 protein-oligonucleotide complexes. *Biochemistry* 23, 552 (1984).
- 159. Lalor, T.M., Kjeldgaard, M. Shimamoto, G.T., Strickler, J.B., Merritt, S.C., Konligsberg, W.H., and Richards, F.F. Trypanosome variant specific glycoproteins: A polygane protein family with multiple folding patterns. Proc. Natl. Acad. Sci. USA 81, 998-1002 (1984).
- 160. Horwich, A.L., Fenton, W.A., Williams, K.R., Kalousek, P., Knus, J.P., Doolittle, R.F., Konigsberg, W., and Rosenberg, L.E. Structure and expression of a cDNA for the nuclear coded precursor of human mitochundrial ornithine transcarbamylase. Science 224, 1068-1074 (1984).
- Merrill, B.W., Williams, K.R., Chase, J.W., and Konigsberg, W. Photochemical crosslinking of the Escherichia coli single-stranded DNA binding protein to

oligodeoxymucleotides: Identification of phenylalanine 60 as the site of cross-linking. J. Biol. Chem. 259, 10850-10856 (1984).

ıU

- 162. Hammings, H.C. Jr., Williams, R.R., Konigsberg, W.H., and Groungard, P. DARPPI-32, A dopamine- and adenosine 3':5' monophosphate-regulated neuronal phosphoprotein: 1. Amino acid sequence around the phosphorylated threenine. J. Biol. Chem. 259, 14486-14490 (1984).
- 163. Rusche, J.R., Konigsberg, W., and Howard-Flanders, P. Isolation of altered RecA polypeptides and interaction with ATP and DNA. J. Blol. Chem. 260, 949-955 (1985).
- 164. Aderi, H.Y., Rose, K., Williams, K.R., Konigsberg, W.H., Lin, T.-C., and Spicer, E.K. Cloning, nucleotide sequence, and overexpression of the bacteriophage T4 regA game. Proc. Natl. Acad. Sci. USA 82, 1901-1905 (1985).
- Williams, K.R., Williams, N.D., Konigsberg, W.H., and Yu, R.K. Acidic lipids enhance cathepsin D cleavage of the myelin basic protein. J. Neuroscience Research 15, 137-145 (1986).
- 166. Joyce, C.J., Ollis, D.L., Rush, J., Steitz, T.A., Konigsberg, W.H. and Grindley, N.D.F. Relating structure to function for DNA polymerase I of E. coli in Protein Structure, Folding and Design (Oxender, D., ed.) Alan R. Liss, New York. UCLA Symposia Molec. Cell. Biol. Vol. 32, 197-205 (1986).
- 167. Guha, A., Bach, R., Konigsberg, W., and Nemerson, Y. Affinity purification of human tissue factor: Interaction of factor VII and tissue factor in detergent micelles. *Proc. Natl. Acad. Sci. USA* 83, 299-302 (1986).
- 168. Williams, K.R., Henunings Jr., H.C., LoPresti, M.B., Konigaberg, W.H., and Greengard, P. Complete primary structure of bovine brain DARPP-32, a departine- and cyclic AMP-regulated inhibitor of protein phosphatase-1: Homology with protein phosphatase inhibitor-1. J. Biol. Chem. 261, 1890-1903 (1986).
- 169. Prigodich, R.V., Shamoo, A.Y., Williams, K.R., Chase, J.W., Konigsberg, W. and Coleman, J.E. <sup>1</sup>H-NMR (500 MHz) Identification of the aromatic residues of gens 32 protein involved in DNA binding by the use of protein containing perdeuterated aromatic residues and by site-directed mutagenessis. Biochemistry 25, 3666-3672 (1986).
- Stachelek, C., Stachelek, J., Swan, J., Botstein, D. and Konigsberg, W. Identification, cloming and sequence determination of the genes specifying hexokinase A and B from yeast. Nucl. Acids Res. 14, 945-963 (1986).
- Giedroc, D.P., Kesting, K.M., Williams, K.R., Konigsberg, W.H., and Coleman, J.E. Gene 32 protein, the single-stranded DNA binding protein from T4 is a zinc metalloprotein.
   Proc. Natl. Acad. Sci. USA 83, 8452-8456 (1986).

- 172. Shamoo, Y., Adari, H., Konigsberg, W.H., Williams, K.R., and Chase, J.W. Cloning of T4 gene 32 and expression of the wild type protein under pL regulation in E coll. *Proc. Natl. Acad. Sci. USA* 83, 8844-8848 (1986).
- Coleman, J.E., Williams, K.R., King, G.C., Prigodich, R.V., Shamoo, Y. and Konigsberg, W.H. Protein chemistry-NMR approach to mapping functional domains in single-stranded DNA binding proteins. J. Cell. Biochem. 32, 305-326 (1986).
- 174. Coleman, J.E., Williams, K.R., King, G.C., Prigodich, R.V., Shamoo, Y. and Konigaberg, W.H. Mapping the functional domains in single-stranded DNA binding proteins, gene 32 and gene 5 in Protein Modification and Design. (Alan R. Liss, Publishers), (1986).
- 175. Strickler, J.E. and Binder, D., L'Italien, J.J., Shimamoto, G., Wait, S.W., Dalheim, L.J., Novotny, J., Radding, J.A., Konigsberg, W.H., Armstrong, M.Y.K., Richard, F.F. and Lalor, T.M. Trypanosoma congolese: Structure and molecular organization of surface glycoproteins of two early bloodstream variants. Blochemistry 26, 796-805 (1987).
- 176. Spicer, E., Horton, R., Bloem, L., Bach, R., Williams, K.R., Guha, A., Kraus, J., Nemerson, Y., and Konigsberg, W.H., Isolation of cDNA clones coding for human tissue factor: Primary structure of the protein and cDNA. *Proc. Natl. Acad. Sci. USA* 84, 5148-5152 (1987).
- 177. Lin, T.-C., Rush, J., Spicor, E.K., and Konigsberg, W.H., Cluming and expression of T4 DNA polymerase. *Proc. Natl. Acad. Sci. USA* 84, 7000-7004 (1987).
- 178. Shamoo, Y., Roberts, W.J., Coleman, J.E., Williams, K.R., and Konigsburg, W.H., Site specific mutagenessis of T4 gene 32: The role of tyrosine residues in protein: Nucleic acid interactions in Protein Structure Folding and Design II, UCLA Symposia on Molecular and Cellular Biology (Alan R. Liss Publishers) Vol. 69:385-394 (1987).
- 179. Williams, K.R., Stone, K.L., Fritz, M.K., Merrill, B.M., Konigaborg, W.H., Paudolfo, M., Valentini, O., Riva, S., Reddigari, S., Patel, G.L., and Chase, J.W. Use of HPLC comparative peptide mapping in structure/function studies in Proteins: Structure and Function (LTailien, JJ., ed.) Plemun Publishing Corp., 45-52 (1988).
- 180. Spicer, E.K., Rush, J., Fung, C., Reha-Krantz, L.J., Karzen, J.D., and Konigaberg, W.H. Primary structure of T4 DNA polymerase: Evolutionary relatedness to encaryotic and other procaryotic DNA polymerases. J. Biol. Cham. 263, 7478-7486 (1988).
- 181. Shamoo, Y., Williams, K.R., Konigsberg, W.H. Photochemical cross-linking of bacteriophage T4 single-stranded DNA binding protein (gp32) to oligo-p (dT)<sub>8</sub>: Identification of phenylalanine 183 as the site of cross-linking. Proteins: Structure, Function and Genetics 4, 1-6 (1988).
- 182. Konigaberg, W.H. and Nemerson, Y. Molecular cloning of the cDNA for human tissue factor. Cell 52, 639 (1988).

אר ישרים ואמו במככמו זב

- 184. Bauer, K.A., Conway, E.M., Bach, R., Konigsberg, W.H., Griffin, J.D., and Demetri, G. Tissue factor gene expression in soute myeloblastic leukemia. *Thrombosis Research* 56, 425-430 (1989).
- Conway, E.M., Bach, R., Rosenberg, R.D., and Konigaberg, W.H. Tumor necrosis factor enhances expression of tissue factor mRNA in endothelial cells. *Thrombosis Research* 53, 231-241 (1989).
- 186. Bloem, L.J., Chen, L., Konigsberg, W.H., and Bach, R. Serum stimulation of quiescent human fibroblasts induces the synthesis of tissue factor mRNA followed by the appearance of tissue factor antigen and procoagulant activity. J. Cell. Phys. 139, 418-423 (1989).
- Shamoo, Y., Keating, K.M., Williams, K.R. and Konigaberg, W.H. Structure/function relationships in the bacteriophage T4 single-stranded DNA binding protein in Molecular Biology of Chromosome Function. (Adolph, K.W., ed.) Springer-Verlag, New York, 302-322 (1990).
- 188. Shamoo, Y., Ghosaini, L.R., Kenting, K.M., Williams, K.R., Sturtevant, J.M., and Konigsberg, W.H. (1989) Site-specific mutagenesis of T4 gene 32; the role of tyrosine residues in protein nucleic acid interactions. *Biochemistry* 28, 7409-7417 (1989).
- 189. Rush, J., Lin, T-C., Quinones, M., Spicer, E.K., Douglas, I., Williams, K.R., and Kanigaberg, W.H. The 44P subunit of the T4 DNA polymerase accessory protein complex catalyzes ATP hydrolysis. J. Biol. Chem. 264, 10943-10953 (1989).
- Rush, J. and Konigsberg, W.H. Photoaffinity labeling of the Klenow fragment of DNA polymerase I with 8-N<sub>3</sub>dATP. J. Biol. Chem. 265, 4821-4827 (1990).
- Rush, J. and Konigsberg, W.H. Rapid purification of overexpressed T4 DNA polymerase. Preparative Biochemistry 19, 329-340 (1989).
- 192. Williams, K.R. and Konigsberg, W.H. Identification of amino-acid residues at the interface of protein nucleic complexes by photochemical cross-linking in Methods in Ensymplogy (Saner, R., ed.) Academic Press, New York. Vol. 208, 516-539 (1991).
- 193. Reha-Krantz, L.J., Stocki, S., Nonsy, R.L., Dimayuga, E., Goodrich, L.D., Konigsberg, W.H. and Spicer, E.K. DNA polymerization in the absence of exemucleolytic prooficeading: In vivo and in vitro studies. Proc. Natl. Acad. Sci. USA 88, 2417-2421 (1991).

- 194. Shamoo, Y., Webster, K. R., Williams, K. R., and Konigaberg, W. H. A retrovirus-like zine domain is essential for translational repression of bacteriophage T4 gene 32. J. Biol. Chem. 266, 7967-7970 (1991).
- 195. Pawashe, A., Ezekowitz, M., Lin, T-C., Horton, R., Bach, R., and Konigsberg, W.H. Molecular cloning, characterization and expression of cDNA for rabbit brain tissue factor. *Thrombosis and Haemostasis* 66, 315-320 (1991).
- 196. Webster, K.R., Shamoo, Y., Konigsberg, W., and Spicer, E.K. A rapid method for large-scale purification of synthetic oligoribonucleotides. *BioTechniques* 11, 658-661 (1991).
- 197. Waxman, E., Ross, J.B.A., Laue, T.M., Guha, A., Thiruvikraman, S.V., Lin, T.-C., Konigsberg, W. and Nemerson, Y. Tiasue factor and its extracellular soluble domain: the relationship between intermolecular association with factor VIIa and enzymatic activity of the complex. Biochemistry 31(16), 3998-4003 (1992).
- 198. Webster, K.R., Keill, S., Konigsberg, W., Williams, K.R. and Spicer E.K. Identification of animo acid residues involved in bacterlophage T4 regA protein mucleic acid interactions. J. Biol. Chem. 267(36), 26097-26103 (1992).
- 199. Hu, T., Bach, R.R., Horton, R., Konigsberg, W.H. and Todd, M.B. Synthesis of tissue factor messanger RNA and proceedulant activity in breast cancer cells in response to serum stimulation. Thrombosis Research 72, 155-168 (1993).
- Shamoo, Y., Tam. A., Konigsberg, W.H. and Williams, K.R. Translational repression by the bacteriophage T4 gene 32 protein involves specific recognition of an RNA pseudoknot structure. J. Mol. Biol. 232, 89-104 (1993).
- 201. Pawashe, A., Goline, P., Ambrosie, G., Migliaccie, F. Ragni, M., Pasoucci, I., Chiariello, M., Bach, R. Garen, A., Konigsberg, W. H., Ezekowitz. A monoclosul antibody against rabbit tissue faster inhibits thrombus formation in stenotic injured rabbit carotid arteries. Circulation Res. 74, 56-63 (1993).
- Hu, T., Bach, R.R., Horton, R., Konigsberg, W.H. and Todd, M.B. Proceedulant activity in cancer cells is dependent on tissue factor expression. *Oncology Res.* 6, 321-327 (1994).
- 203. Shamoo, Y. Williams, K.R. and Konigsberg, W.H. The function of zinc in bacteriophage T4 gene 32 protein. In Molecular Biology of Bacteriophage T4 (Karam, J., Ed.) pp. 305-306, American Society of Microbiology, Washington, D.C (1994).
- 204. Williams, K.R., Shamoo, Y., Spicer, E.K., Coleman, J.F. and Konigsberg, W.H. Correlation of structure and function in proteins: an overview of approaches utilizing the T4 gp32 mucleic acid binding protein as a prototype. In Molecular Biology of

- Bacterlaphage T4 (Karam, J., Ed.) pp. 301-304, American Society of Microbiology, Weshington, D.C. (1994).
- Lin, T.C., Karam, G. and Konigsberg, W.H. Isolation, characterization and kinetic properties of truncated forms of T4 DNA polymerase that exhibit 3'-5' exemuclease activity. J. Biol. Chem. 269, 19286-19294 (1994).
- 206. Ross, J.B.A., Hasselbacher, C.A., Kumosinski, T.F., King, G., Laue, T.M., Guha A., Nemerson, Y., Konlgaberg, W.H., Rusinova, B., and Waxman, B. Tosting a FTIR-consistent model for the soluble domain of human tissue factor. In Molecular Cloning (Kumosinski, T.F. and Liebman, M.N., eds.) American Chemical Society Symposium Series, ACS Symp. 576, 113-122 (1994).
- Konigsberg, W.H. Litnited proteolysis of DNA polymerases as a probe of functional domains, In: The Methods in Enzymology 262 (Campbell, I.L. Ed.), 331-347 (1995).
- 208. Bromberg, M.E., Konigsberg, W.H., Madison, J.F., Pawashe, A., and Garen, A. Tissus factor promotes melanoma metastasis by a pathway independent of blood coagulation. Proc. Natl. Acad. Sci. USA 92, 8205-8209 (1995).
- 209. Kirchhofer, D., Guba, A., Nemerson, Y., Konigsberg, W.H., Vilhois, F., Chene, C., anner, D.W. & D'Arcy, A. Activation of blood congulation factor VIIa with cleaved tissue factor extracellular domain and crystallization of the active complex. *Proteins: Struc. Func. and Genet.* 22, 419-425 (1995).
- Shamoo, Y., Priedman, A.M., Parsons, M.R., Konigaberg, W.H., and Stritz, T.A. Crystal structure of a replication fork single-stranded DNA binding protein (T4 gp32) complexed to DNA. Nature 376, 362-366 (1995).
- 211. Hasselbacher, C.A., Rusinova, E., Waxman, B., Rusinova, R., Kohanaki, R.A., Lam, W., Guba, A., Du, J., Lin, T.C., Polikarpov, I., Boya, C.W.G., Nemerson, Y., Konigaberg, W.H., Ross, B.A. Environments of the four tryptophan in the extracellular domain of human tissue factor: comparison of results from absorption and fluorescence difference spectra of tryptophan replacement mutants with the crystal structure of the wild-type protein. Biophysical J. 69, 20-29 (1995).
- 212. Banner, D.W., D'Aroy, A., Chene, C., Winkler, P.K., Guha, A., Konigsberg, W.H., Nemerson, Y. and Kirchhofer, D. The crystal structure of the complex of blood coagulation factor VIIa with soluble tissue factor. *Nature* 380, 41-46 (1996).
- 213. Wang, J., Yu, P., Lin, T.C., Konigsberg, W.H., & Steltz, T.A. (1996) Crystal structure of an NH<sub>2</sub>-Terminal fragment of T4 DNA polymerase and its complexes with single stranded DNA and with divalent metal lons. Biochemistry (In press).

214. Fang, C.H., Lin, T.C., Guha, A., Nemerson, Y. & Konigsberg, W.H. (1996) Activation of factor X by factor VIIa complexed with human-mouse tissue factor chimeras requires human exon 3. Thromb. and Haem. (In press).

Rev. 6/3/96

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потиер

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.